

HSBC 200 S (GB) set

DHW CYLINDER

PRODUCT-NO.: 236917

With the integral HSBC 200 S cylinder, instead of having the DHW cylinder and buffer cylinder standing side by side, they are arranged in a single appliance, piggyback style. This almost halves the space required and means the appliance can be installed in the smallest rooms – for more available floor area.

Excellent solution for detached houses.

Precisely matched to use with one heat pump, the HSBC covers everything required in a detached house in relation to heating and DHW, All that and in a convenient format, too!



The main features

Combi appliance comprising a DHW cylinder and a buffer cylinder

Halves the installation space required for individual cylinders

Compact, compatible and energy saving for use in detached houses

Perfectly matched components for use in conjunction with an air | water heat pump for DHW and room heating



Type	HSBC 200 S (GB) set
Part no.	236917
Nominal capacity, DHW cylinder	168 l
Nominal capacity, buffer cylinder	100 l
Energy efficiency class	B

Technical data

Energy efficiency class	B
Standby energy consumption/24 h at 65 °C	1,30 kWh
Rated control voltage	230 V
Rated voltage, emergency/booster heater	230 V
Power consumption, emergency/booster heater	5,90 kW
Heat pump connection	28 mm
Heating circuit connection	22 mm
Cold water connection	22 mm
DHW connection	22 mm
DHW circulation connection	12 mm
Height of unit when tilted	2107 mm
Height	1908 mm
Width	680 mm
Depth	871 mm
Weight	203 kg

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.